



L Number		Search Text	DB	Time stamp
-	81		USPAT;	2003/12/05 10:49
		encrypt\$5 and decrypt\$9 and polariz\$8	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/	IBM_TDB	
-	24	(@ad < "19981023") and (digital adj rights)	USPAT;	2003/12/04 11:00
		and encrypt\$5 and decrypt\$9	US-PGPUB;	
	,		EPO; JPO;	
			DERWENT;	
	7.6	(00d . #10001002#) +== 1 (/i=1+========	IBM_TDB	0000 (00 (0) 00
-	76		USPAT;	2003/12/04 11:27
		management) or (intellectual adj property adj management) or (copyright adj	US-PGPUB;	
		management)) and encrypt\$5 and decrypt\$9	EPO; JPO;	
		management() and energypt() and decrypt()	DERWENT; IBM_TDB	
_	o	((@ad < "19981023") and ((rights adj	USPAT;	2003/12/04 11:05
	· ·	management) or (intellectual adj property	US-PGPUB;	2003/12/04 11:05
		adj management) or (copyright adj	EPO; JPO;	
		management)) and encrypt\$5 and decrypt\$9)	DERWENT;	
		and polariz\$9	IBM TDB	
_	0	l -	USPAT;	2003/12/04 11:05
	J	management) or (intellectual adj property	US-PGPUB;	2003/12/04 11:03
		adj management) or (copyright adj	EPO; JPO;	
		management)) and encrypt\$5 and decrypt\$9)	DERWENT;	
		and polariz\$9	IBM TDB	
_	81	· -	USPAT;	2003/12/04 11:06
	01	management) or (intellectual adj property	US-PGPUB:	2003/12/04 11:00
		adj management) or (copyright adj management	EPO; JPO;	
		or digital)) and encrypt\$5 and decrypt\$9 and	DERWENT;	
		polariz\$6	IBM TDB	
_	5	-	USPAT;	2003/12/04 11:17
	•	presentation adj data)	US-PGPUB;	2003, 12, 01 11.11
		processing and	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	20	(@ad < "19981023") and polariz\$9 and	USPAT;	2003/12/04 11:21
		encrypt\$ and decrypt\$8 and render\$9	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	(@ad < "19981023") and (encrypt\$7 adj	USPAT;	2003/12/04 13:56
		presentation adj data)	US-PGPUB;	
			EPO; JPO;	
i			DERWENT;	
			IBM_TDB	
-	0		USPAT;	2003/12/04 12:07
		decrypt\$6 and rights	US-PGPUB;	
ĺ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	380/24.ccls.	USPAT;	2003/12/04 12:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
-	0	'	USPAT;	2003/12/04 12:10
		and (clear adj data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(0-4 . #30003003#) 4 (3)-4: 3 . 3! !	IBM_TDB	0000/55/55
-	29	'	USPAT;	2003/12/04 12:16
		and clear	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1		(0-4 #10001000#)	IBM_TDB	
-	21	(@ad < "19981023") and (digital adj right\$1)	USPAT;	2003/12/04 12:16
		and render\$7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	18	(@ad < "19981023") and (digital adj right\$1) and render\$7 and encrypt\$6 and decrypt\$5	USPAT; US-PGPUB;	2003/12/04 12:54
			EPO; JPO; DERWENT; IBM TDB	
-	1	(@ad < "19981023") and (decrypt\$8 same (presentation adj data))	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 12:57
-	10	(@ad < "19981023") and (encrypt\$8 same (presentation adj data))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:04
-	276	(@ad < "19981023") and (render\$8 near9 encrypt\$6)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/04 13:30
			EPO; JPO; DERWENT; IBM_TDB	
	21	((@ad < "19981023") and (render\$8 near9 encrypt\$6)) and 380/28.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 13:31
-	0	and ((token-based) or (token adj based)) and coordnate and encrypt\$5 and decrypt\$7 and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:59
-	0	character\$1 and graph\$1 (@ad < "19981023") and (digital adj right\$1) and ((token-based) or (token adj based)) and coordnate and encrypt\$5 and decrypt\$7 and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:59
-	0	<pre>image\$1 (@ad < "19981023") and (digital adj right\$1) and token and coordnate and encrypt\$5 and decrypt\$7 and image\$1</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 13:59
-	0		DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:00
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:01
-	0	(@ad < "19981023") and (digital adj rights)	DERWENT; IBM_TDB USPAT;	2003/12/04 14:01
		and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1 and character\$1 and graph\$1	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 14:02
-	6	(@ad < "19981023") and (digital adj rights) and token and coordinate and encrypt\$5 and decrypt\$7 and image\$1 and render\$7	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 14:28
-	23	(@ad < "19981023") and (digital adj rights adj management\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/04 14:58
			DERWENT; IBM_TDB	

- 249 (@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5) - 181 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 same decrypt\$5)) and (character\$5 or image\$3 or graph\$1) - 0 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 same decrypt\$5)) and (rendering encrypt\$7 same decrypt\$5)) and (rendering adj encrypted adj presentation adj data) - 0 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 same decrypt\$7 same decryp
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;
encrypt\$7 same decrypt\$5)) and (character\$5 or image\$3 or graph\$1) 0 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (rendering adj encrypted adj presentation adj data) 0 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 adj presentation adj data) 0 ((@ad < "19981023") and (render\$7 adj encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 adj presentation adj data) 0 (DERWENT; encrypt\$7 adj presentation adj data)
O ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (rendering adj encrypted adj presentation adj data) O ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 adj presentation adj data) O ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 adj EPO; JPO; DERWENT;
- 0 ((@ad < "19981023") and (render\$7 same USPAT; 2003/12/04 15:1 encrypt\$7 same decrypt\$5)) and (render\$7 adj US-PGPUB; encrypt\$7 adj presentation adj data) EPO; JPO; DERWENT;
IBM TDB
- 2 ((@ad < "19981023") and (render\$7 same USPAT; encrypt\$7 same decrypt\$5)) and (render\$7 adj encrypt\$7 near9 (data or content)) EPO; JPO; DERWENT; IBM TDB
- 123 ((@ad < "19981023") and (render\$7 same USPAT; US-PGPUB; same encrypt\$7 same decrypt\$5)) and (render\$7 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
- 53 ((@ad < "19981023") and (render\$7 same uSPAT; 2003/12/04 15:3 encrypt\$7 same decrypt\$5)) and (render\$7 uS-PGPUB; EPO; JPO; DERWENT; IBM TDB
- 17 ((@ad < "19981023") and (render\$7 same encrypt\$7 same decrypt\$5)) and (render\$7 US-PGPUB; with encrypt\$7 near9 (data or content)) and image\$1 EPO; JPO; DERWENT; IBM TDB
- 66 (@ad < "19981023") and (digital adj right\$1) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
- 5 (@ad < "19981023") and (encrypted adj USPAT; presentation adj (data or content)) US-PGPUB; EPO; JPO; DERWENT; IBM TDB
- 3 (@ad < "19981023") and (rendering adj USPAT; encrypted adj (data or content)) US-GPUB; EPO; JPO; DERWENT; IBM TDB
- 0 (@ad < "19981023") and (rendering near8 USPAT; 2003/12/04 16:0 encrypted0 adj (data or content)) US-PGPUB; EPO; JPO; DERWENT;
- 19 (@ad < "19981023") and (rendering near8 USPAT; US-PGPUB; EPO; JPO; DERWENT;
- 254 (@ad < "19981023") and (render\$5 near8 USPAT; US-PGPUB; EPO; JPO; DERWENT;
IBM TDB

-	102	(@ad < "19981023") and (render\$3 near8 decrypt\$7)	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 16:15
			DERWENT; IBM_TDB	
-	5	(@ad < "19981023") and (encrypt\$5 adj presentation adj (data or content))	USPAT; US-PGPUB;	2003/12/04 16:15
			EPO; JPO; DERWENT; IBM_TDB	
-	9	(@ad < "19981023") and (encrypt\$5 with presentation adj (data or content))	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 16:24
			DERWENT; IBM_TDB	
-	34	(@ad < "19981023") and (digital adj right\$1) and data and format	USPAT; US-PGPUB; EPO; JPO;	2003/12/04 16:42
_	1	(@ad < "19981023") and ((replay\$10 with	DERWENT; IBM_TDB USPAT;	2003/12/05 11:00
		encrypt\$5) and (digital adj rights))	US-PGPUB; EPO; JPO;	2003/12/03 11.00
-	1	(@ad < "19981023") and ((play\$10 with	DERWENT; IBM_TDB USPAT;	2003/12/05 10:55
		encrypt\$5) and (digital adj rights))	US-PGPUB; EPO; JPO; DERWENT;	
-	103	(@ad < "19981023") and (format adj preserv\$6)	IBM_TDB USPAT; US-PGPUB;	2003/12/05 10:58
		P20002.170	EPO; JPO; DERWENT;	
-	54	((@ad < "19981023") and (format adj preserv\$6)) and digital	IBM_TDB USPAT; US-PGPUB;	2003/12/05 10:55
			EPO; JPO; DERWENT; IBM TDB	
-	0	(@ad < "19981023") and (format adj preserv\$6) and (digital adj rights)	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 10:57
	0	(@ad : #10091022#) and (format add	DERWENT; IBM TDB	2002/12/05 10 57
		(@ad < "19981023") and (format adj preserv\$6) and (encrypt\$5 adj digital adj (content or data))	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 10:57
-	8	(@ad < "19981023") and (format adj	DERWENT; IBM_TDB USPAT;	2003/12/05 10:57
		preserv\$6) and (encrypt\$5 adj digital)	US-PGPUB; EPO; JPO; DERWENT;	
_	0	(@ad < "19981023") and (encrypted adj format adj preserv\$6)	IBM_TDB USPAT;	2003/12/05 10:58
		and breseratol	US-PGPUB; EPO; JPO; DERWENT;	
-	0	(@ad < "19981023") and (encrypt\$6 adj format adj preserv\$6)	IBM_TDB USPAT; US-PGPUB;	2003/12/05 10:58
			EPO; JPO; DERWENT; IBM TDB	
-	0	(@ad < "19981023") and (encrypt\$6 with format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 10:58
			DERWENT; IBM_TDB	

-	2	(@ad < "19981023") and (encrypt\$6 same format adj preserv\$6)	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 10:59
			DERWENT; IBM_TDB	
-	1	(@ad < "19981023") and ((play\$10 with encrypt\$5) and (digital adj rights))	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:00
_	0	(@ad < "19981023") and ((tran\$5 adj clear)	DERWENT; IBM_TDB USPAT;	2003/12/05 11:01
:	-	and (digital adj rights))	US-PGPUB; EPO; JPO; DERWENT;	2503, 12, 03
-	30	(@ad < "19981023") and ((clear or plain) and (digital adj rights))	IBM_TDB USPAT; US-PGPUB;	2003/12/05 11:25
			EPO; JPO; DERWENT; IBM_TDB	
-	7	(@ad < "19981023") and (digital adj rights) and ((plain or clear) with save\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 11:36
-	0	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 adj format\$10))	IBM_TDB USPAT; US-PGPUB;	2003/12/05 11:37
			EPO; JPO; DERWENT; IBM TDB	
-	2	(@ad < "19981023") and (encrypt\$5 same (preserve\$3 near4 format\$10))	USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:46
-	9	(@ad < "19981023") and (encrypt\$6 with (presentation adj data))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/05 11:54
-	277	(@ad < "19981023") and (render\$7 or play\$5 or replay\$5) with (encrypt\$5 with data)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/05 14:43
-	438	(@ad < "19981023") and ((digital or copy\$9) adj rights) and token	IBM_TDB USPAT; US-PGPUB;	2003/12/08 09:31
			EPO; JPO; DERWENT; IBM_TDB	
-	0	(5867579.pn. or 6424715.pn. or 6192138.pn. or 6044157.pn. or 6006004.pn. or 5600721.pn.) and token	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 09:27
-	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) with token with encrypt\$9	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 10:09
_	0	(@ad < "19981023") and ((digital or copy\$9) adj rights) same token\$9 same encrypt\$9	IBM_TDB USPAT; US-PGPUB;	2003/12/08 09:28
	6	(@ad < "19981023") and ((digital or copy\$9)	EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/12/00 10:00
		with right\$5) same token\$9 same encrypt\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/08 10:26
	L		IBM_TDB	

-	0	(the second of the second of copy (se	USPAT;	2003/12/08 09:31
		adj rights) with token	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	,	(02d + #10001022#) and (/digital on goveto)	IBM_TDB	2002/12/00 00:20
-	_	(@ad < "19981023") and ((digital or copy\$9) adj rights) same token\$7	USPAT;	2003/12/08 09:38
		adj rights) same tokens/	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	(@ad < "19981023") and token-based adj	USPAT;	2003/12/08 09:38
	_	document\$5	US-PGPUB;	2003, 22, 00 03.30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	47	(@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 10:05
		adj rights) and (identifier\$5 with token)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(USPAT;	2003/12/08 10:10
	1	adj rights) with (x with y with	US-PGPUB;	
		coordinate\$1)	EPO; JPO;	
			DERWENT;	
	200	/O-4 #10001000#\4 //3' '- 1 #0\	IBM_TDB	
-	302	(@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 10:11
		adj rights) and (x with y with coordinate\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	18	((@ad < "19981023") and ((digital or copy\$9)	IBM_TDB USPAT;	2003/12/08 10:12
		adj rights) and (x with y with	US-PGPUB;	2003/12/08 10:12
		coordinate\$1)) and (715/\$.ccls. or	EPO; JPO;	
		380/\$.ccls.)	DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM TDB	
-	3	((@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 10:22
		adj rights) and (x with y with	US-PGPUB;	
		coordinate\$1)) and (713/\$.ccls. or	EPO; JPO;	
		380/\$.ccls.)	DERWENT;	
			IBM_TDB	
-	489	(@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 10:32
		with right\$5) and (table with document)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1 10	((@ad - #19991022#) and (/dimital or marries)	IBM_TDB	2002/12/22 12 22
_	10	((@ad < "19981023") and ((digital or copy\$9) with right\$5) and (table with document)) and	USPAT;	2003/12/08 10:28
		(713/\$.ccls. or 380/\$.ccls.)	US-PGPUB;	
		(,10) 4.0018. Of 300/4.0018.)	EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 10:33
		with right\$5) and (document with token with	US-PGPUB;	2003/12/00 10:33
		(x and y) with coordinate\$1)	EPO; JPO;	
		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	DERWENT;	
			IBM TDB	
-	1	(@ad < "19981023") and ((digital or copy\$9)	USPAT;	2003/12/08 11:52
		with right\$5) and (document same token same	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
		(x and y) same coordinate\$1)	EPO; JPO;	
	1	•	DERWENT;	